

INSCO

www.insco.us

CERTIFIED
PRECISION



INSCO

www.insco.us


Our Facilities



INSCO has emerged as an aggressive supplier of precision weights . We can immediately supply any standard or custom size weight for any particular class. Our precision weights are manufactured of stainless steel using the highest quality standards.

The production process in all of its phases complies with all requirements and demands in the market, offering weights of optimum quality.

INSCO weights are manufactured from super austenitic stainless steel. This high-grade material used in the production of our weights is of uniform density, corrosion resistant, and has low magnetic properties, essential characteristics to ensure optimum quality.



High quality precision weights



OIML E-1 and ASTM 0 to NIST F

Manufactured using the finest Stainless Steel available in the market for closely controlled density and magnetic properties.

- Ranging from 50 kg to 1 mg, our weights are carefully handcrafted and adjusted in strict accordance to all requirements.
- Available in all tolerances from OIML E-1 and ASTM 0 to NIST F.
- Any shape: cylindrical, one piece, grip handle, or as desired.
- Laser marking for weights' identification
- Impact resistant weights cases are provided for their safety and if requested, specially designed cases that conform to clean room requirements are also available.
- Calibration and Certification can be performed at NSPR Mass Laboratory which is certified by NVLAP under LAB CODE 200454-0.

Ranging from 50 kg to 1 mg



With Inscow weights you can find the finest quality, incomparable prices, and a wide variety adapted to your needs and requirements. Professional and complete services guaranteed.



Weight sets are available
in the following configurations
(5 - 2 - 2 - 1) (5 - 3 - 2 - 1)



Weight Sets

ASTM

| Sets | Class 0 Part # | Class 1 Part # | Class 2 Part # | Class 3 Part # | Class 4 Part # |
|-------------|-------------------|-------------------|-------------------|-------------------|-------------------|
| 1g - 50g | A 00201 | B 00201 | C 00201 | E 00201 | N 00201 |
| 1g - 100g | A 00202 | B 00202 | C 00202 | E 00202 | N 00202 |
| 1g - 200g | A 00203 | B 00203 | C 00203 | E 00203 | N 00203 |
| 1g - 500g | A 00204 | B 00204 | C 00204 | E 00204 | N 00204 |
| 1g - 1kg | A 00205 | B 00205 | C 00205 | E 00205 | N 00205 |
| 1g - 2kg | A 00206 | B 00206 | C 00206 | E 00206 | N 00206 |
| 1g - 5kg | A 00207 | B 00207 | C 00207 | E 00207 | N 00207 |
| 1g - 10kg | A 00208 | B 00208 | C 00208 | E 00208 | N 00208 |
| 1mg - 500mg | A 00209 | B 00209 | C 00209 | E 00209 | N 00209 |
| 1mg - 5g | A 00210 | B 00210 | C 00210 | E 00210 | N 00210 |
| 1mg - 100g | A 00211 | B 00211 | C 00211 | E 00211 | N 00211 |
| 1mg - 200g | A 00212 | B 00212 | C 00212 | E 00212 | N 00212 |
| 1mg - 500g | A 00213 | B 00213 | C 00213 | E 00213 | N 00213 |
| 1mg - 1kg | A 00214 | B 00214 | C 00214 | E 00214 | N 00214 |
| 1mg - 2kg | A 00215 | B 00215 | C 00215 | E 00215 | N 00215 |
| 1mg - 5kg | A 00216 | B 00216 | C 00216 | E 00216 | N 00216 |
| 1mg - 10kg | A 00217 | B 00217 | C 00217 | E 00217 | N 00217 |
| 1mg - 20kg | A 00218 | B 00218 | C 00218 | E 00218 | N 00218 |

NIST

| Sets | Class F Part # |
|-------------|-------------------|
| 1g - 50g | P 00201 |
| 1g - 100g | P 00202 |
| 1g - 200g | P 00203 |
| 1g - 500g | P 00204 |
| 1g - 1kg | P 00205 |
| 1g - 2kg | P 00206 |
| 1g - 5kg | P 00207 |
| 1g - 10kg | P 00208 |
| 1mg - 500mg | P 00209 |
| 1mg - 5g | P 00210 |
| 1mg - 100g | P 00211 |
| 1mg - 200g | P 00212 |
| 1mg - 500g | P 00213 |
| 1mg - 1kg | P 00214 |
| 1mg - 2kg | P 00215 |
| 1mg - 5kg | P 00216 |
| 1mg - 10kg | P 00217 |
| 1mg - 20kg | P 00218 |

- If a composition of the set (5 - 3 - 2 - 1) is preferred, add the suffix "-3" to the part numbers listed above.



Custom Weight Set

(customers can select the weights to form their own weight set)

Replacement Cases

Variety of cases for replacement of individual or weight sets:
wooden box, plastic case, transit case.

Weight sets are available
in the following configurations
(5 - 2 - 2 - 1) (5 - 3 - 2 - 1)



OIML

Weight Sets

| Sets | Class E1 Part # | Class E2 Part # | Class F1 Part # | Class F2 Part # | Class M1 Part # | Class M2 Part # | Class M3 Part # |
|---------------|--------------------|--------------------|--------------------|--------------------|--------------------|--------------------|--------------------|
| 1 g - 50 g | D 00201 | F 00201 | M 00201 | O 00201 | H 00201 | J 00201 | K 00201 |
| 1 g - 100 g | D 00202 | F 00202 | M 00202 | O 00202 | H 00202 | J 00202 | K 00202 |
| 1 g - 200 g | D 00203 | F 00203 | M 00203 | O 00203 | H 00203 | J 00203 | K 00203 |
| 1 g - 500 g | D 00204 | F 00204 | M 00204 | O 00204 | H 00204 | J 00204 | K 00204 |
| 1 g - 1 kg | D 00205 | F 00205 | M 00205 | O 00205 | H 00205 | J 00205 | K 00205 |
| 1 g - 2 kg | D 00206 | F 00206 | M 00206 | O 00206 | H 00206 | J 00206 | K 00206 |
| 1 g - 5 kg | D 00207 | F 00207 | M 00207 | O 00207 | H 00207 | J 00207 | K 00207 |
| 1 g - 10 kg | D 00208 | F 00208 | M 00208 | O 00208 | H 00208 | J 00208 | K 00208 |
| 1 mg - 500 mg | D 00209 | F 00209 | M 00209 | O 00209 | H 00209 | J 00209 | K 00209 |
| 1 mg - 50 g | D 00210 | F 00210 | M 00210 | O 00210 | H 00210 | J 00210 | K 00210 |
| 1 mg - 100 g | D 00211 | F 00211 | M 00211 | O 00211 | H 00211 | J 00211 | K 00211 |
| 1 mg - 200 g | D 00212 | F 00212 | M 00212 | O 00212 | H 00212 | J 00212 | K 00212 |
| 1 mg - 500 g | D 00213 | F 00213 | M 00213 | O 00213 | H 00213 | J 00213 | K 00213 |
| 1 mg - 1 kg | D 00214 | F 00214 | M 00214 | O 00214 | H 00214 | J 00214 | K 00214 |
| 1 mg - 2 kg | D 00215 | F 00215 | M 00215 | O 00215 | H 00215 | J 00215 | K 00215 |
| 1 mg - 5 kg | D 00216 | F 00216 | M 00216 | O 00216 | H 00216 | J 00216 | K 00216 |
| 1 mg - 10 kg | D 00217 | F 00217 | M 00217 | O 00217 | H 00217 | J 00217 | K 00217 |
| 1 mg - 20 kg | D 00218 | F 00218 | M 00218 | O 00218 | H 00218 | J 00218 | K 00218 |

- If a composition of the set (5 - 3 - 2 - 1) is preferred, add the suffix "-3" to the part numbers listed above.



Custom Weight Set

(customers can select the weights to form their own weight set)

Replacement Cases

Variety of cases for replacement of individual or weight sets:
wooden box, plastic case, transit case.

ASTM Class 0 - 1 - 2 - 3 - 4 - F

Ranging from 50 kg to 1 mg



Individual Weights

ASTM

NIST

| Weight | Class 0 Part # | Class 1 Part # | Class 2 Part # | Class 3 Part # | Class 4 Part # |
|--------|-------------------|-------------------|-------------------|-------------------|-------------------|
| 1mg | A 00101 | B 00101 | C 00101 | E 00101 | N 00101 |
| 2mg | A 00102 | B 00102 | C 00102 | E 00102 | N 00102 |
| 5mg | A 00103 | B 00103 | C 00103 | E 00103 | N 00103 |
| 10mg | A 00104 | B 00104 | C 00104 | E 00104 | N 00104 |
| 20mg | A 00105 | B 00105 | C 00105 | E 00105 | N 00105 |
| 50mg | A 00106 | B 00106 | C 00106 | E 00106 | N 00106 |
| 100mg | A 00107 | B 00107 | C 00107 | E 00107 | N 00107 |
| 200mg | A 00108 | B 00108 | C 00108 | E 00108 | N 00108 |
| 500mg | A 00109 | B 00109 | C 00109 | E 00109 | N 00109 |
| 1g | A 00110 | B 00110 | C 00110 | E 00110 | N 00110 |
| 2g | A 00111 | B 00111 | C 00111 | E 00111 | N 00111 |
| 5g | A 00112 | B 00112 | C 00112 | E 00112 | N 00112 |
| 10g | A 00113 | B 00113 | C 00113 | E 00113 | N 00113 |
| 20g | A 00114 | B 00114 | C 00114 | E 00114 | N 00114 |
| 30g | A 00115 | B 00115 | C 00115 | E 00115 | N 00115 |
| 50g | A 00116 | B 00116 | C 00116 | E 00116 | N 00116 |
| 100g | A 00117 | B 00117 | C 00117 | E 00117 | N 00117 |
| 200g | A 00118 | B 00118 | C 00118 | E 00118 | N 00118 |
| 300g | A 00119 | B 00119 | C 00119 | E 00119 | N 00119 |
| 500g | A 00120 | B 00120 | C 00120 | E 00120 | N 00120 |
| 1kg | A 00121 | B 00121 | C 00121 | E 00121 | N 00121 |
| 2kg | A 00122 | B 00122 | C 00122 | E 00122 | N 00122 |
| 3kg | A 00123 | B 00123 | C 00123 | E 00123 | N 00123 |
| 5kg | A 00124 | B 00124 | C 00124 | E 00124 | N 00124 |
| 10kg | A 00125 | B 00125 | C 00125 | E 00125 | N 00125 |
| 20kg | A 00126 | B 00126 | C 00126 | E 00126 | N 00126 |
| 50kg | A 00127 | B 00127 | C 00127 | E 00127 | N 00127 |

| Weight | Class F Part # |
|--------|-------------------|
| 1mg | P 00101 |
| 2mg | P 00102 |
| 5mg | P 00103 |
| 10mg | P 00104 |
| 20mg | P 00105 |
| 50mg | P 00106 |
| 100mg | P 00107 |
| 200mg | P 00108 |
| 500mg | P 00109 |
| 1g | P 00110 |
| 2g | P 00111 |
| 5g | P 00112 |
| 10g | P 00113 |
| 20g | P 00114 |
| 30g | P 00115 |
| 50g | P 00116 |
| 100g | P 00117 |
| 200g | P 00118 |
| 300g | P 00119 |
| 500g | P 00120 |
| 1kg | P 00121 |
| 2kg | P 00122 |
| 3kg | P 00123 |
| 5kg | P 00124 |
| 10kg | P 00125 |
| 20kg | P 00126 |
| 50kg | P 00127 |



Grip Handle Weights

ASTM

NIST

| Weight | Class 1 Part # | Class 2 Part # | Class 3 Part # | Class 4 Part # |
|--------|-------------------|-------------------|-------------------|-------------------|
| 5kg | G 00101 | G 00201 | G 00301 | G 00401 |
| 10kg | G 00102 | G 00202 | G 00302 | G 00402 |
| 20kg | G 00103 | G 00203 | G 00303 | G 00403 |
| 25kg | G 00104 | G 00204 | G 00304 | G 00404 |
| 30kg | G 00105 | G 00205 | G 00305 | G 00405 |
| 50kg | G 00106 | G 00206 | G 00306 | G 00406 |

| Weight | Class F Part # |
|--------|-------------------|
| 5kg | G 00501 |
| 10kg | G 00502 |
| 20kg | G 00503 |
| 25kg | G 00504 |
| 30kg | G 00505 |
| 50kg | G 00506 |



OIML



Individual Weights

| Weight | Class E1 Part # | Class E2 Part # | Class F1 Part # | Class F2 Part # | Class M1 Part # | Class M2 Part # | Class M3 Part # |
|--------|--------------------|--------------------|--------------------|--------------------|--------------------|--------------------|--------------------|
| 1 mg | D 00101 | F 00101 | M 00101 | O 00101 | H 00101 | J 00101 | K 00101 |
| 2 mg | D 00102 | F 00102 | M 00102 | O 00102 | H 00102 | J 00102 | K 00102 |
| 5 mg | D 00103 | F 00103 | M 00103 | O 00103 | H 00103 | J 00103 | K 00103 |
| 10 mg | D 00104 | F 00104 | M 00104 | O 00104 | H 00104 | J 00104 | K 00104 |
| 20 mg | D 00105 | F 00105 | M 00105 | O 00105 | H 00105 | J 00105 | K 00105 |
| 50 mg | D 00106 | F 00106 | M 00106 | O 00106 | H 00106 | J 00106 | K 00106 |
| 100 mg | D 00107 | F 00107 | M 00107 | O 00107 | H 00107 | J 00107 | K 00107 |
| 200 mg | D 00108 | F 00108 | M 00108 | O 00108 | H 00108 | J 00108 | K 00108 |
| 500 mg | D 00109 | F 00109 | M 00109 | O 00109 | H 00109 | J 00109 | K 00109 |
| 1 g | D 00110 | F 00110 | M 00110 | O 00110 | H 00110 | J 00110 | K 00110 |
| 2 g | D 00111 | F 00111 | M 00111 | O 00111 | H 00111 | J 00111 | K 00111 |
| 5 g | D 00112 | F 00112 | M 00112 | O 00112 | H 00112 | J 00112 | K 00112 |
| 10 g | D 00113 | F 00113 | M 00113 | O 00113 | H 00113 | J 00113 | K 00113 |
| 20 g | D 00114 | F 00114 | M 00114 | O 00114 | H 00114 | J 00114 | K 00114 |
| 50 g | D 00115 | F 00115 | M 00115 | O 00115 | H 00115 | J 00115 | K 00115 |
| 100 g | D 00116 | F 00116 | M 00116 | O 00116 | H 00116 | J 00116 | K 00116 |
| 200 g | D 00117 | F 00117 | M 00117 | O 00117 | H 00117 | J 00117 | K 00117 |
| 500 g | D 00118 | F 00118 | M 00118 | O 00118 | H 00118 | J 00118 | K 00118 |
| 1 kg | D 00119 | F 00119 | M 00119 | O 00119 | H 00119 | J 00119 | K 00119 |
| 2 kg | D 00120 | F 00120 | M 00120 | O 00120 | H 00120 | J 00120 | K 00120 |
| 5 kg | D 00121 | F 00121 | M 00121 | O 00121 | H 00121 | J 00121 | K 00121 |
| 10 kg | D 00122 | F 00122 | M 00122 | O 00122 | H 00122 | J 00122 | K 00122 |
| 20 kg | D 00123 | F 00123 | M 00123 | O 00123 | H 00123 | J 00123 | K 00123 |
| 50 kg | D 00124 | F 00124 | M 00124 | O 00124 | H 00124 | J 00124 | K 00124 |



OIML Class E1 - E2 - F1 - F2 - M1 - M2 - M3
Ranging from 50 kg to 1 mg

Custom Weights:
Individual Weights up to 500 kg



INSCO

www.insco.us

CERTIFIED
PRECISION

Sets Composition Configuration (5 - 3 - 2 - 1)

| Number of weights | | | | | | | | | |
|--------------------------|-------|-------|-------|-------|------|------|-------|-------|-------|
| 12 | 20 | 21 | 22 | 24 | 25 | 26 | 28 | 29 | 30 |
| Set from 1mg to | | | | | | | | | |
| 500 mg | 50 g | 100 g | 200 g | 500 g | 1 kg | 2 kg | 5 kg | 10 kg | 20 kg |
| 1mg | 1mg | 1mg | 1mg | 1mg | 1mg | 1mg | 1mg | 1mg | 1mg |
| 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 |
| 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 |
| 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 |
| 10 | 10 | 10 | 10 | 10 | 10 | 10 | 10 | 10 | 10 |
| 20 | 20 | 20 | 20 | 20 | 20 | 20 | 20 | 20 | 20 |
| 30 | 30 | 30 | 30 | 30 | 30 | 30 | 30 | 30 | 30 |
| 50 | 50 | 50 | 50 | 50 | 50 | 50 | 50 | 50 | 50 |
| 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 |
| 200 | 200 | 200 | 200 | 200 | 200 | 200 | 200 | 200 | 200 |
| 300 | 300 | 300 | 300 | 300 | 300 | 300 | 300 | 300 | 300 |
| 500 | 500 | 500 | 500 | 500 | 500 | 500 | 500 | 500 | 500 |
| | 1g | 1g | 1g | 1g | 1g | 1g | 1g | 1g | 1g |
| | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 |
| | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 |
| | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 |
| | 10 | 10 | 10 | 10 | 10 | 10 | 10 | 10 | 10 |
| | 20 | 20 | 20 | 20 | 20 | 20 | 20 | 20 | 20 |
| | 30 | 30 | 30 | 30 | 30 | 30 | 30 | 30 | 30 |
| | 50 | 50 | 50 | 50 | 50 | 50 | 50 | 50 | 50 |
| | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 |
| | | 200 | 200 | 200 | 200 | 200 | 200 | 200 | 200 |
| | | | 300 | 300 | 300 | 300 | 300 | 300 | 300 |
| | | | 500 | 500 | 500 | 500 | 500 | 500 | 500 |
| | | | | 1 kg | 1 kg | 1 kg | 1 kg | 1 kg | 1 kg |
| | | | | | 2 | 2 | 2 | 2 | 2 |
| | | | | | | 3 | 3 | 3 | 3 |
| | | | | | | 5 | 5 | 5 | 5 |
| | | | | | | | 10 | 10 | 10 |
| | | | | | | | | 20 | 20 |
| | | | | | | | | | |
| Set from 1g to | | | | | | | | | |
| 50 g | 100 g | 200 g | 500 g | 1 kg | 2 kg | 5 kg | 10 kg | 30 kg | |
| Number of weights | | | | | | | | | |
| 8 | 9 | 10 | 12 | 13 | 14 | 16 | 17 | 18 | |

INSCO

www.insco.us

CERTIFIED
PRECISION

Sets Composition Configuration (5 - 2 - 2 - 1)

| Number of weights | | | | | | | | | |
|--------------------------|-------|-------|-------|-------|------|------|-------|-------|-------|
| 12 | 20 | 21 | 22 | 24 | 25 | 26 | 28 | 29 | 30 |
| Set from 1mg to | | | | | | | | | |
| 500 mg | 50 g | 100 g | 200 g | 500 g | 1 kg | 2 kg | 5 kg | 10 kg | 20 kg |
| 1mg | 1mg | 1mg | 1mg | 1mg | 1mg | 1mg | 1mg | 1mg | 1mg |
| 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 |
| 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 |
| 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 |
| 10 | 10 | 10 | 10 | 10 | 10 | 10 | 10 | 10 | 10 |
| 20 | 20 | 20 | 20 | 20 | 20 | 20 | 20 | 20 | 20 |
| 20 | 20 | 20 | 20 | 20 | 20 | 20 | 20 | 20 | 20 |
| 50 | 50 | 50 | 50 | 50 | 50 | 50 | 50 | 50 | 50 |
| 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 |
| 200 | 200 | 200 | 200 | 200 | 200 | 200 | 200 | 200 | 200 |
| 200 | 200 | 200 | 200 | 200 | 200 | 200 | 200 | 200 | 200 |
| 500 | 500 | 500 | 500 | 500 | 500 | 500 | 500 | 500 | 500 |
| | 1g | 1g | 1g | 1g | 1g | 1g | 1g | 1g | 1g |
| | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 |
| | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 |
| | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 |
| | 10 | 10 | 10 | 10 | 10 | 10 | 10 | 10 | 10 |
| | 20 | 20 | 20 | 20 | 20 | 20 | 20 | 20 | 20 |
| | 20 | 20 | 20 | 20 | 20 | 20 | 20 | 20 | 20 |
| | 50 | 50 | 50 | 50 | 50 | 50 | 50 | 50 | 50 |
| | | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 |
| | | | 200 | 200 | 200 | 200 | 200 | 200 | 200 |
| | | | | 200 | 200 | 200 | 200 | 200 | 200 |
| | | | | 500 | 500 | 500 | 500 | 500 | 500 |
| | | | | | 1 kg | 1 kg | 1 kg | 1 kg | 1 kg |
| | | | | | | 2 | 2 | 2 | 2 |
| | | | | | | | 2 | 2 | 2 |
| | | | | | | | 5 | 5 | 5 |
| | | | | | | | | 10 | 10 |
| | | | | | | | | | 20 |
| | | | | | | | | | |
| Set from 1g to | | | | | | | | | |
| 50 g | 100 g | 200 g | 500 g | 1 kg | 2 kg | 5 kg | 10 kg | 20 kg | |
| Number of weights | | | | | | | | | |
| 8 | 9 | 10 | 12 | 13 | 14 | 16 | 17 | 18 | |

INSCO

www.insco.us

Custom Weights



INSCO, manufacturing the weights our customers demand...



Custom Weights:
INSCO can provide weights in any size,
classification and shape to meet
any customer's requirements.

Individual Weights
up to 500 kg



Variety of carrying cases
(wooden box, plastic case, transit case)

CERTIFIED
PRECISION

INSCO

www.insco.us

OIML Tolerance

| Denomination Metric | E1 mg | E2 mg | F1 mg | F2 mg | M1 mg | M2 mg | M3 mg |
|------------------------|----------|----------|----------|----------|----------|----------|----------|
| 1 mg | 0,002 | 0,006 | 0,020 | 0,06 | 0,2 | | |
| 2 mg | 0,002 | 0,006 | 0,020 | 0,06 | 0,2 | | |
| 5 mg | 0,002 | 0,006 | 0,020 | 0,06 | 0,2 | | |
| 10 mg | 0,002 | 0,008 | 0,025 | 0,08 | 0,25 | | |
| 20 mg | 0,003 | 0,010 | 0,03 | 0,10 | 0,3 | | |
| 50 mg | 0,004 | 0,012 | 0,04 | 0,12 | 0,4 | | |
| 100 mg | 0,005 | 0,015 | 0,05 | 0,15 | 0,5 | 1,5 | |
| 200 mg | 0,006 | 0,020 | 0,06 | 0,20 | 0,6 | 2,0 | |
| 500 mg | 0,008 | 0,025 | 0,08 | 0,25 | 0,8 | 2,5 | |
| 1 g | 0,010 | 0,030 | 0,10 | 0,3 | 1,0 | 3 | 10 |
| 2 g | 0,012 | 0,040 | 0,12 | 0,4 | 1,2 | 4 | 12 |
| 5 g | 0,015 | 0,050 | 0,15 | 0,5 | 1,5 | 5 | 15 |
| 10 g | 0,020 | 0,060 | 0,20 | 0,6 | 2,0 | 6 | 20 |
| 20 g | 0,025 | 0,080 | 0,25 | 0,8 | 2,5 | 8 | 25 |
| 50 g | 0,030 | 0,10 | 0,30 | 1,0 | 3,0 | 10 | 30 |
| 100 g | 0,05 | 0,15 | 0,5 | 1,5 | 5 | 15 | 50 |
| 200 g | 0,10 | 0,30 | 1,0 | 3,0 | 10 | 30 | 100 |
| 500 g | 0,25 | 0,75 | 2,5 | 7,5 | 25 | 75 | 250 |
| 1 kg | 0,5 | 1,5 | 5 | 15 | 50 | 150 | 500 |
| 2 kg | 1,0 | 3 | 10 | 30 | 100 | 300 | 1000 |
| 5 kg | 2,5 | 7,5 | 25 | 75 | 250 | 750 | 2500 |
| 10 kg | 5 | 15 | 50 | 150 | 500 | 1500 | 5000 |
| 20 kg | 10 | 30 | 100 | 300 | 1000 | 3000 | 10000 |
| 50 kg | 25 | 75 | 250 | 750 | 2500 | 7500 | 25000 |

